

Clenpiq Preparation for Colonoscopy

Name	Date	Arrival Time
Physician	Location	
DO NOT TAKE IRON FOIF YOU TAKE ASPIRIN IDO NOT SMOKE ON TH	OR 5 DAYS PRIOR TO Y DAILY, DO NOT STOP E DAY OF YOUR PRO	EFORE YOUR PROCEDURE YOUR PROCEDURE IT BEFORE YOUR PROCEDURE CEDURE, INCLUDING SMOKING JUANA, CIGARS, AND/OR PIPES
Special Medication Instructions:		

On the day before your colonoscopy (as soon as you wake up):

1. Begin a clear liquid diet.

On your clear liquid diet you may have:

Coffee (no cream) Water

Tea Jell-O (not red or purple)
Clear fruit juice (apple/white grape) Gatorade (not red or purple)

Soft drinks (not red or purple) Lemonade (no pulp)

Popsicles (not red or purple) Clear broth (chicken or beef)

- 2. At 5:00pm, drink one bottle (5.4oz) of Clenpiq. Please drink this slowly.
- 3. Once this is complete drink an additional 5 cups (8oz each) of water.

On the day of your colonoscopy:

- 1. At least **5** hours before your arrival time, drink the second bottle (5.4oz) of Clenpiq. Please drink this slowly.
- 2. Once this is complete, drink an additional 4 cups (8oz each) of water.
- 3. You can go ahead and take your usual morning medication unless you have been instructed otherwise by the nurse or scheduler.
- 4. DO NOT DRINK ANY LIQUIDS FOR AT LEAST 2 FULL HOURS BEFORE YOUR ARRIVAL TIME.
- 5. YOUR DRIVER MUST STAY AT THE CENTER FOR YOUR ENTIRE APPOINTMENT.



KEYS TO A GOOD BOWEL PREPARATION

It is important to have an excellent bowel preparation prior to your colonoscopy. This will allow your doctor to examine you colon with better accuracy, and avoid the need for a repeat examination due to an inadequate preparation. Please review the helpful hints listed below.

1. FOLLOW YOUR DIRECTIONS CAREFULLY:

Review them a week prior to your scheduled colonoscopy so you can plan. Pick up your bowel preparation kit from the pharmacy, review any potential need to adjust medications (e.g. blood thinners), and make sure you have arranged for someone to accompany you to the appointment (you will not be able to drive yourself). Call your doctor if you have any questions.

2. DIET:

Avoid the following foods 3 days prior to your colonoscopy if possible—raw fruits/vegetables/salads, corn, nuts, seeds, popcorn. *This is just a recommendation to help insure that your colon is as clean as possible, and that you will not need to repeat the exam sooner than necessary.* Remember: no solids for the whole day before your procedure.

3. CONSTIPATION:

If you tend to constipation, your colon may not clean out well unless you follow some additional simple steps. If you usually do not have a bowel movement every day, take MIRALAX (generic is fine as well) 17 grams of powder mixed in 8 oz. of water TWICE a day for THREE days prior to your bowel preparation (i.e. 4 days prior to your colonoscopy), then take your bowel preparation as directed. If you do not usually have a bowel movement for 4 days or more, call your doctor's office for special instructions.

4. HEMORRHOIDS/ANAL DISCOMFORT:

The preparation process requires you to have frequent bowel movements, therefore anal/hemorrhoidal irritation may occur. To minimize this, apply a small amount of Vaseline to the cleansed anal area prior to starting the bowel preparation. Additionally, we recommend using non alcohol, non scented, moistened anal wipes to keep the anal area clean while taking the bowel prep.

5. GETTING YOUR PREP DOWN SUCCESSFULLY:

Make sure you get your bowel preparation very cold prior to drinking it, and pour it over ice as well. Drinking it through a straw will minimize the amount of the laxative that you actually have to taste. You can also add a powdered flavoring, such as Crystal Light lemonade, to each glass. Sucking on hard candies after drinking the laxative will also help dispel the taste in your mouth and make the preparation process more tolerable.

6. DRINK LOTS OF FLUIDS:

It is very important to stay well hydrated during your bowel preparation process. The more liquids you drink, the better you will feel.